

Izjava o usaglašenosti Declaration of Conformity

Mi / We REHAU Gesellschaft m.b.H.
2353 Guntramsdorf, Industriestraße 17
AUSTRIA

na sopstvenu odgovornost izjavljujemo da proizvodi / declare on our own responsibility that the products

Tip prpizvoda / SISTEM KUĆNE KANALIZACIJE /
Type of product: WASTE WATER SYSTEM

Naziv proizvoda / SISTEM KUĆNE KANALIZACIJE RAUSILENTO /
Name of the product: WASTE WATER SYSTEM RAUSILENTO

Tip / Type: **cevi / pipes**
dimenzije / dimension: DN/OD 32, 40, 50, 75, 90, 110, 125, 160
dužine / length: 150 mm / 250 mm / 500 mm / 1000 mm /
1500 mm / 2000 mm / 3000 mm

Fazonski komadi / fittings:
dimenzije / dimension: DN/OD 32, 40, 50, 75, 90, 110, 125, 160

proizvod / product	DN / OD (mm)	ugao / angle (°)
RAUSILENTO luk / RAUSILENTO bend	32	15, 30, 45, 87
RAUSILENTO luk / RAUSILENTO bend	40	15, 30, 45, 67, 87
RAUSILENTO luk / RAUSILENTO bend	50	15, 30, 45, 67, 87
RAUSILENTO luk / RAUSILENTO bend	75	15, 30, 45, 67, 87
RAUSILENTO luk / RAUSILENTO bend	90	15, 30, 45, 87
RAUSILENTO luk / RAUSILENTO bend	110	15, 30, 45, 87
RAUSILENTO luk / RAUSILENTO bend	125	15, 30, 45, 87
RAUSILENTO luk / RAUSILENTO bend	160	15, 30, 45, 87
RAUSILENTO jednostruka račva / RAUSILENTO single branch	32/32	45
RAUSILENTO jednostruka račva / RAUSILENTO single branch	40/40	45, 87
RAUSILENTO jednostruka račva / RAUSILENTO single branch	50/40	45, 87
RAUSILENTO jednostruka račva / RAUSILENTO single branch	50/50	45, 87
RAUSILENTO jednostruka račva / RAUSILENTO single branch	75/50	45, 87
RAUSILENTO jednostruka račva / RAUSILENTO single branch	75/75	45, 87
RAUSILENTO jednostruka račva / RAUSILENTO single branch	90/50	45, 87
RAUSILENTO jednostruka račva / RAUSILENTO single branch	90/75	45, 87
RAUSILENTO jednostruka račva / RAUSILENTO single branch	90/90	45
RAUSILENTO jednostruka račva / RAUSILENTO single branch	110/50	45, 87
RAUSILENTO jednostruka račva / RAUSILENTO single branch	110/75	45, 87
RAUSILENTO jednostruka račva / RAUSILENTO single branch	110/90	45, 87
RAUSILENTO jednostruka račva / RAUSILENTO single branch	110/110	45
RAUSILENTO jednostruka račva / RAUSILENTO single branch	125/110	45, 87
RAUSILENTO jednostruka račva / RAUSILENTO single branch	125/125	45, 87
RAUSILENTO jednostruka račva / RAUSILENTO single branch	160/110	45, 87
RAUSILENTO jednostruka račva / RAUSILENTO single branch	160/125	45, 87
RAUSILENTO jednostruka račva / RAUSILENTO single branch	160/160	45, 87
RAUSILENTO jednostruka račva max flow / RAUSILENTO single branch max flow	90/90	87
RAUSILENTO jednostruka račva max flow / RAUSILENTO single branch max flow	110/110	87
RAUSILENTO dupla račva / RAUSILENTO double branch	110/110/110	87

Produkt / product	DN / OD (mm)	Winkel / angle (°)
RAUSILENTO dupla račva max flow / <i>RAUSILENTO double branch max flow</i>	90/90/90	87
RAUSILENTO ugaona račva / <i>RAUSILENTO corner double branch</i>	110/110/110	87
RAUSILENTO ugaona dupla račva max flow / <i>RAUSILENTO corner double branch max flow</i>	90/90/90	87
RAUSILENTO redukcija/ <i>RAUSILENTO reducer</i>	40/32	-
RAUSILENTO redukcija/ <i>RAUSILENTO reducer</i>	50/32	-
RAUSILENTO redukcija/ <i>RAUSILENTO reducer</i>	50/40	-
RAUSILENTO redukcija/ <i>RAUSILENTO reducer</i>	75/50	-
RAUSILENTO redukcija/ <i>RAUSILENTO reducer</i>	90/75	-
RAUSILENTO redukcija/ <i>RAUSILENTO reducer</i>	110/50	-
RAUSILENTO redukcija/ <i>RAUSILENTO reducer</i>	110/75	-
RAUSILENTO redukcija/ <i>RAUSILENTO reducer</i>	110/90	-
RAUSILENTO redukcija/ <i>RAUSILENTO reducer</i>	125/110	-
RAUSILENTO redukcija/ <i>RAUSILENTO reducer</i>	160/125	-
RAUSILENTO redukcija kratka / <i>RAUSILENTO short reducer</i>	50/40	-
RAUSILENTO redukcija kratka / <i>RAUSILENTO short reducer</i>	75/50	-
RAUSILENTO redukcija kratka / <i>RAUSILENTO short reducer</i>	90/50	-
RAUSILENTO redukcija kratka / <i>RAUSILENTO short reducer</i>	110/50	-
RAUSILENTO redukcija kratka / <i>RAUSILENTO short reducer</i>	110/75	-
RAUSILENTO dupli muf / <i>RAUSILENTO double socket</i>	32, 40, 50, 75, 90, 110, 125, 160	-
RAUSILENTO klizna spojka / <i>RAUSILENTO slip-on socket</i>	32, 40, 50, 75, 90, 110, 125, 160	-
RAUSILENTO dugački muf / <i>RAUSILENTO long socket</i>	50, 75, 90, 110	-
RAUSILENTO reviziona cev / <i>RAUSILENTO access pipe</i>	75, 90, 110, 125, 160	-
RAUSILENTO sifonsko koleno / <i>RAUSILENTO siphon angle</i>	40 / 40 – 30	
RAUSILENTO sifonsko koleno / <i>RAUSILENTO siphon angle</i>	50 / 40 – 30	
RAUSILENTO sifonsko koleno / <i>RAUSILENTO siphon angle</i>	50 / 50	
RAUSILENTO priključni komad / <i>RAUSILENTO connection pipe</i>	50 / 40 – 30	
RAUSILENTO čep za muf / <i>RAUSILENTO end cap</i>	32, 40, 50, 75, 90, 110, 125, 160	-

Odobrenje /
approvals

Technisches Gewerbemuseum TGM Wien (TGM – VA KU 29405)

u skladu sa relevantnim zahtevima. Izjava postaje nevažeća ako se na proizvodu ili proizvodima izvrše bilo kakve modifikacije bez našeg odobrenja. / *conform to the relevant requirements. This declaration becomes invalidated if any modifications are made to the product(s) without our authorisation.*

EN standardi / *EN standards:*

U saglasnosti sa EN 1451-1

in accordance with EN 1451-1

Cevni plastični sistem za odvodnju otpadnih voda (niska i visoka temperatura) u građevinskoj konstrukciji – *polipropilen (PP)* deo 1:
Specifikacija za cevi, fittinge i sistem
Plastics piping systems for soil and waste discharge (low and high temperature) within the building structure - Polypropylene (PP)
Part 1: Specifications for pipes, fittings and the system

Ostali standardi, propisi i smernice u vezi sa projektovanjem, ugradnjom i radom sistema za pitku vodu, grejanje i postrojenjima u zgradarstvu, takođe moraju biti u uzeti u obzir, ali nisu deo ovih informacija.

Further standards, regulations and guidelines with regard to the planning, installation and operation of drinking water, heating and building technology systems must also be taken into account but are not a part of this information.


Dodatne informacije / *Additional information:*

Potvrđujemo da trenutno ne postoji usaglašen evropski standard za plastične cevi, koji se odnosi na relevantnu evropsku direktivu za CE označavanje ovih proizvoda. Proizvodi su razvijeni i proizvedeni u skladu sa REHAU standardima kvaliteta i procedurama u skladu sa postupcima koje zahteva EN ISO 900.

We confirm that there is currently no harmonized European standard for plastic pipes, which refers to the relevant European Directive for CE marking of these products. Products are developed and produced according to REHAU quality standards and procedures compliant to practices required by EN ISO 9001.

Guntramsdorf, 06.04.2023

REHAU Gesellschaft m.b.H.



.....
i. V. Mag. (FH) Nico Mayerhofer
Menadžer tehničkog tima *Building Technology Region SE*
Competence Team Leiter Gebäudetechnik Region SE
Technical Team Manager Building Technology Region SE